

PUBLICATIONS

Autor: Sadhan Kumar Adhikari

Área: Física

Books

- 1 Dynamical Collision Theory and its Applications:
S.K.Adhikari and K.L.Kowalski, Academic Press, Boston (1991) 490 pages.
- 2 Variational Principles and the Numerical Solution of Scattering Problems
S.K.Adhikari, John Wiley and Sons Inc., New York (1998) 318 pages.

Articles

- 1 Low-temperature behavior of quantum cluster coefficients
S.K.Adhikari and R.D.Amado, Phys.Rev.Lett. 27 (1971) 485
- 2 Parametrization of the three-body D function
S.K.Adhikari and R.D.Amado, Phys.Lett. 40B (1972) 11
- 3 Parametrization of the three-body D function II:
S.K.Adhikari and R.D.Amado, Phys.Rev.C 6 (1972) 1484
- 4 Low-energy behavior of few-body scattering amplitudes
S.K.Adhikari, Phys.Rev.D 8 (1973) 1195
- 5 Singularities in three-body final state amplitudes
S.K.Adhikari and R.D.Amado, Phys.Rev.D 9 (1974) 1467
- 6 New separable expansion for local potentials
S.K.Adhikari, Phys.Rev.C 10 (1974) 1623
- 7 Method for Lippmann-Schwinger equations
I.H.Sloan and S.K.Adhikari, Nucl.Phys. A235 (1974) 352
- 8 Separable operator expansions for the t matrix
S.K.Adhikari and I.H.Sloan, Nucl.Phys. A241 (1975) 429
- 9 Separable expansion for the t matrix in the ${}^3S_1 - {}^3D_1$ channel
S.K.Adhikari and I.H.Sloan, Nucl.Phys. A251 (1975) 297
- 10 Separable expansion for the t matrix with analytic form factors
S.K.Adhikari and I.H.Sloan, Phys.Rev.C 11 (1975) 1133
- 11 Method for three-body equations
S.K.Adhikari and I.H.Sloan, Phys.Rev.C 12 (1975) 1152
- 12 Separable expansions for local potential with Coulomb interactions
S.K.Adhikari, Phys.Rev.C 14 (1976) 782
- 13 Analysis of four-body final states: nonrelativistic
S.K.Adhikari and R.D.Amado, Phys.Rev.C 15 (1977) 498
- 14 Nucleon-nucleon interaction in nuclear matter
S.K.Adhikari, H.T.Coelho, F.A.B.Coutinho and Y.Nogami, Phys.Rev.C 16 (1977) 777
- 15 Relativistic analysis of four-body final states
S.K.Adhikari, Nucl.Phys. A287 (1977) 451
- 16 Minimal four-body equations
S.K.Adhikari, Phys.Rev.C 17 (1978) 903
- 17 Four-hadron isobar model

- S.K.Adhikari, Phys.Rev.D 18 (1978) 4250
- 18 Singularities in four-body final state amplitudes
S.K.Adhikari, Phys.Rev.D 18 (1978) 4264
- 19 Four-particle scattering with three-particle interactions
S.K.Adhikari, Phys.Rev.C 19 (1979) 26
- 20 Cluster model in reaction theory
S.K.Adhikari, Phys.Rev.C 19 (1979) 325
- 21 Spurious solutions in few-body equations
S.K.Adhikari and W.Glockle, Phys.Rev.C 19 (1979) 616
- 22 Separable expansions to local potentials in a quasipotential approach
F.L.Viana and S.K.Adhikari, Phys.Rev.C 19 (1979) 1655
- 23 Method for scattering equations
S.K.Adhikari, Phys.Rev.C 19 (1979) 1729
- 24 Spurious solution in few-body equations: II Numerical investigations
S.K.Adhikari, Phys.Rev.C 19 (1979) 2121
- 25 Three-body Lippmann-Schwinger equations
S.K.Adhikari and W.Glockle, Phys.Rev.C 21 (1980) 54
- 26 Nonsingular representation of three-body equations
S.K.Adhikari, Phys.Rev.D 21 (1980) 2251
- 27 Method for scattering equations: II Iterative solution L.Tomio and S.K.Adhikari,
Phys.Rev.C 22 (1980) 28
- 28 Comment on an alternative to the resonating group method
S.K.Adhikari and W.Glockle, Phys.Rev.C 22 (1980) 309
- 29 Multiple scattering formalism for the effective interaction
S.K.Adhikari and H.Bando, Phys.Rev.C 22 (1980) 787
- 30 Iterative solution of multichannel three-body equations
L.Tomio and S.K.Adhikari, Phys.Rev.C 22 (1980) 2359
- 31 Exit doorway state in $^{12}C(^{16}O, ^8Be)^{20}Ne$
T.Sasakawa and S.K.Adhikari, Phys.Rev.Lett. 46 (1981) 1379
- 32 Correlation among low-energy four-nucleon observables
S.K.Adhikari, Phys.Rev.C 24 (1981) 16
- 33 Alternative to Padé technique for solving scattering integral equations L.Tomio and
S.K.Adhikari, Phys.Rev.C 24 (1981) 43
- 34 Usefulness of bound-state approximations in reaction theory
S.K.Adhikari, Phys.Rev.C 24 (1981) 379
- 35 Four-body Efimov effect in a Born-Oppenheimer model
S.K.Adhikari and A.C.Fonseca, Phys.Rev.D 24 (1981) 416
- 36 Iterative solution of bound-state equations
S.K.Adhikari and L.Tomio, Phys.Rev.C 24 (1981) 1186
- 37 Iterative solution of homogeneous integral equations
S.K.Adhikari, J.Comput.Phys. 43 (1981) 189
- 38 Alternative to Padé technique for iterative solution of integral equations
S.K.Adhikari, J.Comput.Phys. 43 (1981) 382
- 39 Low-energy direct nuclear reactions

- S.K.Adhikari, Phys.Rev.C 25 (1982) 118
- 40 Discrete and continuum spurious spectrum of scattering equations
S.K.Adhikari, Phys.Rev.C 25 (1982) 128
- 41 Method for resonances and virtual states: Efimov virtual states
S.K.Adhikari, A.C.Fonseca and L.Tomio, Phys.Rev.C 26 (1982) 77
- 42 Efimov effect in the three-nucleon system
S.K.Adhikari and L.Tomio, Phys.Rev.C 26 (1982) 83
- 43 Effective range expansion revisited
S.K.Adhikari and J.R.A.Torreão, Phys.Lett. 119B (1982) 245
- 44 Exit doorway states in nuclear reactions
S.K.Adhikari, Phys.Rev.C 27 (1983) 218
- 45 Separable expansion for virtual states and resonances
S.K.Adhikari, A.C.Fonseca and L.Tomio, Phys.Rev.C 27 (1983) 1826
- 46 Unified theory of nuclear reactions
S.K.Adhikari, Phys.Rev.C 27 (1983) 2543
- 47 Effective range expansion for the pion-pion system
S.K.Adhikari and J.R.A.Torreao, Phys.Lett. 123B (1983) 452
- 48 On resolvent operators in scattering theory
S.K.Adhikari, Phys.Lett. 95A (1983) 21
- 49 Effective range expansion for systems with small scattering length
S.K.Adhikari, Phys.Lett. 126B (1983) 489
- 50 Doorways and multistep compound reactions
S.K.Adhikari, Phys.Rev.C 28 (1983) 2013
- 51 The Phillips and the Girard-Fuda plot for the trinucleon system
S.K.Adhikari and J.R.A.Torreão, Phys.Lett. 132B (1983) 257
- 52 Statistical theory of multistep compound reactions revisited
S.K.Adhikari, Phys.Rev.Lett. 51 (1983) 1834
- 53 A new class of antisymmetrized optical potentials
S.K.Adhikari, R.Kozack and F.S.Levin, Phys.Lett. 136B (1984) 5
- 54 New class of antisymmetrized optical potentials
S.K.Adhikari, R.Kozack and F.S.Levin, Phys.Rev.C 29 (1984) 1628
- 55 Correlation among low-energy three-nucleon observables
S.K.Adhikari, Phys.Rev.C 30 (1984)
- 56 Non-orthogonality, resonating group method, and multiparticle collision theory
S.K.Adhikari, M.Birse, R.Kozack and F.Levin, Phys.Rev.C 30 (1984) 780
- 57 Parametrization of strongly overlapping nuclear resonances
S.K.Adhikari, Phys.Lett. 148B (1984) 1
- 58 Nonuniqueness of solutions of three-body Lippmann-Schwinger equations
E.Gerjuoy and S.K.Adhikari, Phys.Lett. 105A (1984) 203
- 59 Discretizing the three-body continuum: Interpretation of non-breakup results
S.K.Adhikari, Z.Kuruoglu and F.S.Levin, Ann.Phys.(N.Y.) 163 (1985) 149
- 60 Statistical theory of multistep compound reactions
S.K.Adhikari, Phys.Rev.C 31 (1985) 1220

- 61 Nonuniqueness of solutions to the Lippmann-Schwinger equation in a soluble three-body model
E.Gerjuoy and S.K.Adhikari, Phys.Rev.A 31 (1985) 2005
- 62 Connections among different multistep compound reaction theories
S.K.Adhikari, Phys.Lett. 160B (1985) 9
- 63 Coulomb effect on effective range expansion for systems with small scattering length
S.K.Adhikari, Phys.Lett. 113A (1985) 1
- 64 Quantum scattering in two dimensions
S.K.Adhikari, Am.J.Phys. 54 (1986) 362
- 65 Iteration subtraction method for scattering equations compared with continued fractions method
S.K.Adhikari and L.Tomio, Phys.Rev.C 33 (1986) 467
- 66 Exit doorways and intermediate structure resonances
S.K.Adhikari, Phys.Rev.C 33 (1986) 471
- 67 Surface integrals in the derivation of the Lippmann-Schwinger equation for many particle system
E.Gerjuoy and S.K.Adhikari, Phys.Lett. 115A (1986) 1
- 68 Alternative interpretations of the many-particle Lippmann-Schwinger equation
E.Gerjuoy and S.K.Adhikari, Phys.Rev.C 34 (1986) 1
- 69 The decay properties of giant multipole resonances: Collective doorways and statistical doorways
H.Dias, M.S.Hussein and S.K.Adhikari, Phys.Rev.Lett. 57 (1986) 1998
- 70 Effective range theory in two dimensions
S.K.Adhikari, W.G.Gibson and T.K.Lim, J.Chem.Phys. 85 (1986) 5580
- 71 The Lippmann-Schwinger equation in a soluble three-body model: Surface integrals at infinity
E.Gerjuoy and S.K.Adhikari, Phys.Rev.C 35 (1987) 415
- 72 Trinucleon system in a two-body model: Coulomb effect on bound and scattering states
L.Tomio, A.Delfino and S.K.Adhikari, Phys.Rev.C 35 (1987) 441
- 73 Class of Jost-like functions
S.K.Adhikari and L.Tomio, Phys.Rev.C 35 (1987) 1991
- 74 Unified formulation of variational approaches and separable expansions for the solution of scattering equations
S.K.Adhikari and L.Tomio, Phys.Rev.C 36 (1987) 1275
- 75 Unified treatment of bound state and scattering problems
S.K.Adhikari and L.Tomio, Phys.Rev.C 37 (1988) 41
- 76 Estimate of the triton asymptotic D to S ratio
T.Frederico, S.K.Adhikari and M.S.Hussein, Phys.Rev.C 37 (1988) 364
- 77 Possibility of new information about the N-N force in N-d polarization observables
T.Frederico, I.D.Goldman and S.K.Adhikari, Phys.Rev.C 37 (1988) 949
- 78 Effect of polarization potential in proton-deuteron scattering
S.K.Adhikari and T.K.Das, Phys.Rev.C 37 (1988) 1376

- 79 Efimov and Thomas effects and the model dependence of three-particle observables in two and three dimensions
S.K.Adhikari,Delfino,Frederico,Goldman and Tomio, Phys.Rev.A 37(1988)3666
- 80 Sum rule approach to the study of statistical decay properties of nuclear giant resonances
S.K.Adhikari and M.S.Hussein, Phys.Rev.C 37 (1988) 2332
- 81 Universality of off-shell two-body scattering amplitudes at negative and positive energies: Γ -matrix formalism
S.K.Adhikari and K.L.Kowalski, Phys.Rev.A 40 (1989) 2270
- 82 Wentzel-Kramers-Brillouin-type approximations for bound states in short range nonsingular potentials
S.K.Adhikari, M.A.F.Gomes and L.F.C.Pessoa, Phys.Rev.C 40 (1989) 2276
- 83 Anomalies of the Schwinger variational phase shifts
S.K.Adhikari, Phys.Rev.A 42 (1990) 6
- 84 Analytical model for the triton asymptotic D state parameters
S.K.Adhikari and T.Frederico, Phys.Rev.C 42 (1990) 128
- 85 Correlations among low-energy observables of the four-nucleon system
V.E.Barlette and S.K.Adhikari, Int.J.Mod.Phys.A 6 (1991) 727
- 86 Anomalies of variational phase shifts
S.K.Adhikari, Chem.Phys.Lett. 181 (1991) 435
- 87 Born-Oppenheimer and hyperspherical adiabatic approximations in three-body model
S.K.Adhikari, V.P.Brito, H.T.Coelho and T.K.Das, Nuovo Cimento 107B (1992) 77
- 88 Anomalies of complex variational phase shifts
S.K.Adhikari, Chem.Phys.Lett. 189 (1992) 340
- 89 Robust scaling in fragmentation from $d=1$ to $d=5$
K.Coutinho, M.A.F.Gomes and S.K.Adhikari, Europhys.Lett. 18 (1992) 119
- 90 Three-body Collapse for Tabakin potentials and the Thomas effect
A.Delfino, S.K.Adhikari, L.Tomio and T.Frederico, Phys.Rev.C 46 (1992) 471
- 91 Complex Kohn variational principle for the solution of Lippmann- Schwinger equations
S.K.Adhikari, J.Comput.Phys. 103 (1992) 415
- 92 Low-energy behavior of few-particle scattering amplitudes in two dimensions
S.K.Adhikari and W.G.Gibson, Phys.Rev.A 46 (1992) 3967
- 93 Unusually strong attraction in the presence of continuum bound state
A.Delfino, S.K.Adhikari, L.Tomio and T.Frederico, Phys.Rev.C 46 (1992) 1612
- 94 Model independence of scattering of three identical bosons in two dimensions
S.K.Adhikari, A.Delfino, T.Frederico and L.Tomio, Phys.Rev.A 47 (1993) 1093
- 95 Relativistic three-particle scattering equations
S.K.Adhikari, L.Tomio and T.Frederico, Phys.Rev.C 48 (1993) 2105
- 96 Shape-independent expansion for the ${}^3S_1 - {}^3D_1$ mixing parameter
S.K.Adhikari,L.Tomio,J.P.B.C de Mello and T.Frederico, Phys.Lett. 318B (1993) 14
- 97 Dynamical scaling in fragmentation
K.Coutinho, S.K.Adhikari and M.A.F.Gomes, J.Appl.Phys. 74 (1993) 7577
- 98 Coulomb effect in the trinucleon system in an optical potential model
S.K.Adhikari and A.Delfino, Int.J.Mod.Phys.E 2 (1993) 597

- 99 The effect of positronium formation in e^+ -Li and e^+ -Na scattering
S.K.Adhikari, A.S.Ghosh and H.Ray, Chem.Phys.Lett. 222 (1994) 302
- 100 The effect of positronium formation in positron-alkali-atom scattering
H.Ray, S.K.Adhikari and A.S.Ghosh, Chem.Phys.Lett. 227 (1994) 429
- 101 Relativistic three-particle dynamical equations: I. Theoretical development
S.K.Adhikari, T.Frederico and L.Tomio, Ann.Phys.(N.Y.) 235 (1994) 77
- 102 Relativistic three-particle dynamical equations: II. Application to trinucleon system
S.K.Adhikari and L.Tomio, Ann.Phys.(N.Y.) 235 (1994) 103
- 103 Model for asymptotic D -state parameters of light nuclei: Application to ${}^4\text{He}$
S.K.Adhikari, T.Frederico, I.D.Goldman and S.S.Sharma, Phys.Rev.C 50 (1994) 822
- 104 Theoretical prevision for the low-energy ${}^3S_1 - {}^3D_1$ mixing parameters
S.K.Adhikari, C.F.de Araujo and T.Frederico, Phys.Rev.C 50 (1994) R2684
- 105 Relativistic effect on low-energy nucleon-deuteron scattering
S.K.Adhikari and L.Tomio, Phys.Rev.C 51 (1995) 70
- 106 Perturbative renormalization in quantum few-body problems
S.K.Adhikari, T.Frederico and I.D.Goldman, Phys.Rev.Lett. 74 (1995) 487
- 107 Renormalization group in potential scattering
S.K.Adhikari and T.Frederico, Phys.Rev.Lett. 74 (1995) 4572
- 108 Complex Kohn variational principle for two-nucleon bound-state and scattering with
the tensor potential
C.F.de Araujo, Jr., S.K.Adhikari and L.Tomio, J.Comput.Phys. 118 (1995) 200
- 109 Positron-helium scattering in the close coupling approach:
M.Kahali, S.K.Adhikari, D.Basu and A.S.Ghosh, Chem.Phys.Lett. 239 (1995) 344
- 110 Iterative numerical solution of scattering problems:
L.Tomio and S.K.Adhikari, Chem.Phys.Lett. 241 (1995) 477
- 111 Formation and maintenance of complex systems
M.A.F.Gomes, F.A.O.de Souza and S.K.Adhikari, J.Phys.A 28 (1995) L613
- 112 Positronium-alkali-ion scattering in the close coupling approximation
S.Sur, S.K.Adhikari and A.S.Ghosh, Phys.Rev.A 53 (1996) 3340
- 113 Variational iterative method for scattering problems
S.K.Adhikari, Chem.Phys.Lett. 258 (1996) 595
- 114 Positron-helium scattering at medium energies
S.K.Adhikari and A.S.Ghosh, Chem.Phys.Lett. 262 (1996) 460
- 115 Lattice discretization in quantum scattering
S.K.Adhikari, T.Frederico and R.M.Marinho, J.Phys.A 29 (1996) 7157
- 116 Scaling in BCS to Bose crossover problem in different partial waves
S.K.Adhikari and A.Ghosh, Phys.Rev.B 55 (1997) 1110
- 117 Resonance in positron-helium scattering at medium energy
P.Chaudhuri, S.K.Adhikari and A.S.Ghosh, J.Phys.B 30 (1997) L81
- 118 Application of renormalization to potential scattering
C.F.de Araújo, L.Tomio, S.K.Adhikari and T.Frederico, J.Phys.A 30 (1997) 4687
- 119 Renormalization in nonrelativistic quantum mechanics
S.K.Adhikari and A.Ghosh, J.Phys.A 30 (1997) 6553
- 120 Quantization rules for bound states in quantum wells

- M.A.F.Gomes and S.K.Adhikari, J.Phys.B 30 (1997) 5987
- 121 Universal scaling in Bardeen-Cooper-Schreiffer superconductivity in two dimensions in non- s waves
S.K.Adhikari and A. Ghosh, J.Phys.:CM 10 (1998) 135
- 122 Universal scaling in BCS superconductivity in three dimensions in non- s waves
A.Ghosh and S.K.Adhikari, Euro.Phys.J.B 2 (1998) 31
- 123 Differential cross sections for Target excitation and positronium formation in positron-helium scattering
P.Chaudhuri and S.K.Adhikari, Phys.Rev.A 57 (1998) 984
- 124 Positronium-impact excitation of hydrogen molecule to $B^1\Sigma_u^+$ and $b^3\Sigma_u^+$ states
P.K.Biswas and S.K.Adhikari, J.Phys.B 31 (1998) L315
- 125 Two phase transitions in (s+id)-wave BCS superconductivity
A.Ghosh and S.K.Adhikari, J.Phys.:CM 10 (1998) L319
- 126 Positron-helium scattering: Resonance and differential cross sections
P.Chaudhuri and S.K.Adhikari, Nucl.Phys.A 631 (1998) 715c
- 127 Close-coupling calculations of positronium formation in positron-helium scattering
P.Chaudhuri and S.K.Adhikari, J.Phys.B 31 (1998) 3057
- 128 Effect of electron exchange in positronium-hydrogen scattering
P.K.Biswas and S.K.Adhikari, J.Phys.B 31 (1998) 3147, ERRATUM 5403
- 129 Positronium scattering by a hydrogen molecule including exchange
P.K.Biswas and S.K.Adhikari, J.Phys.B 31 (1998) L737
- 130 Absence of Cooper-type bound states in three- and few-electron systems
S.K.Adhikari and T.Frederico, Euro.Phys.J.B 5 (1998) 219
- 131 Dimensional versus cut-off renormalization and the nucleon-nucleon interaction
A.Ghosh,S.K.Adhikari and B.Talukdar, Phys.Rev.C 58 (1998) 1913
- 132 Diversity of fragments in the collapse of brittle solids
V.P.Brito,M.A.F.Gomes,F.A.O.Souza and S.K.Adhikari, Physica A 259 (1998) 227
- 133 Gel'fand-Levitan equation for deletion of states from Coulomb Spectra
J.Pal,B.Talukdar and S.K.Adhikari, Phys.Lett.A 247 (1998) 198
- 134 Phase transition from a $d_{x^2-y^2}$ to $d_{x^2-y^2} + id_{xy}$ superconductor
A.Ghosh and S.K.Adhikari, Physica C 309 (1998) 251
- 135 Electron-exchange model potential: Application to positronium-helium scattering
P.K.Biswas and S.K.Adhikari, Phys.Rev.A 59 (1999) 363
- 136 Momentum-space nonhydrogenic wave function of quantum defect theory
P.Chaudhuri,B.Talukdar and S.K.Adhikari, J.Phys.B 32 (1999) 95
- 137 Close-coupling calculations of elastic and inelastic positron-helium scattering
P.Chaudhuri and S.K.Adhikari, J.Phys.B 32 (1999) 129
- 138 Effect of electron correlation on positronium formation in positron helium scattering
P.Chaudhuri,Adhikari,B.Talukdar and S.Bhattacharyya, Euro.Phys.J D 5 (1999) 217
- 139 Positronium-hydrogen-atom scattering in a five-state model
S.K.Adhikari and P.K.Biswas, Phys.Rev.A 59 (1999) 2058
- 140 Low-energy quenching of positronium by helium
S.K.Adhikari, P.K.Biswas, and R.A.Sultanov, Phys.Rev.A 59 (1999) 4829
- 141 Phase transition from a $d_{x^2-y^2}$ to $d_{x^2-y^2} + d_{xy}$ superconductor

- A.Ghosh and S.K.Adhikari, Phys.Rev.B 60 (1999) 10401
- 142 Two phase transitions in $(d_{x^2-y^2} + is)$ -wave superconductors
A.Ghosh and S.K.Adhikari, Physica C 322 (1999) 37
- 143 Low-energy three-body charge transfer reactions with Coulomb interaction in the final state
R.A.Sultanov and S.K.Adhikari, J.Phys.B 32 (1999) 5751